



ELSEVIER

Aquaculture 192 (2001) 381–383

www.elsevier.nl/locate/aqua-online

Aquaculture

Contents of *Aquaculture*, Volume 192

VOL. 192 NO. 1

1 JANUARY 2001

Genetics and Breeding

- Skeletal descriptors and quality assessment in larvae and post-larvae of wild-caught and hatchery-reared gilthead sea bream (*Sparus aurata* L. 1758)
C. Boglione, F. Gagliardi (Rome, Italy), M. Scardi (Naples, Italy) and S. Cataudella (Rome, Italy) 1
- Family differences in relative growth of diploid and triploid Atlantic salmon (*Salmo salar* L.)
G.W. Friars (St. Andrews, NB, Canada), I. McMillan, V.M. Quinton (Guelph, ON, Canada),
F.M. O'Flynn (Tralee, Ireland), S.A. McGeachy and T.J. Benfey (Fredericton, NB, Canada). 23
- A low-cost method of rearing multiple batches of fish
C. Wedekind (Kastanienbaum, Bern, Switzerland; Salt Lake City, UT, USA), R. Müller,
A. Steffen (Kastanienbaum, Switzerland) and R. Eggler (Bern, Switzerland) 31

Husbandry and Management

- Differences in egg quality between wild striped trumpeter (*Latris lineata*) and captive striped trumpeter that were fed different diets
D.T. Morehead, P.R. Hart, G.A. Dunstan, M. Brown (Hobart, Tas., Australia) and
N.W. Pankhurst (Launceston, Tas., Australia). 39
- Toxicity of copper sulfate for survival, growth, molting and feeding of juveniles of the tiger shrimp, *Penaeus monodon*
J.-C. Chen and C.-H. Lin (Keelung, Taiwan) 55

Nutrition

- Zinc methionine and zinc sulfate as sources of dietary zinc for juvenile abalone, *Haliotis discus hannai* Ino
B. Tan and K. Mai (Qingdao, People's Republic of China). 67
- Guide for Authors 85

VOL. 192 NOS. 2, 3, 4

15 JANUARY 2001

Diseases, Parasites and Predators

- Influence of daily water temperature changes on the chemiluminescent response and mortality of cultured rockfish (*Sebastes schlegelii*)
K.H. Kim, Y.J. Hwang and S.R. Kwon (Pusan, South Korea) 93
- Relationships between disease outbreak in cultured tiger shrimp (*Penaeus monodon*) and the composition of *Vibrio* communities in pond water and shrimp hepatopancreas during cultivation
H.-H. Sung, S.-F. Hsu, C.-K. Chen (Taipei, Taiwan), Y.-Y. Ting (Tainan, Taiwan) and
W.-L. Chao (Taipei, Taiwan) 101

Addition of inhibitor-producing bacteria to mass cultures of <i>Argopecten purpuratus</i> larvae (Lamarck, 1819) C.E. Riquelme, M.A. Jorquera, A.I. Rojas, R.E. Avendaño (Antofagasta, Chile) and N. Reyes (Caldera, Chile)	111
Histopathological observations during larval rearing of common dentex <i>Dentex dentex</i> L. (Sparidae) S. Crespo, M. Marín de Mateo, C.A. Santamaría, R. Sala (Barcelona, Spain), A. Grau and E. Pastor (Majorca, Spain)	121
Development of a tropical marine fish cell line from Asian seabass (<i>Lates calcarifer</i>) for virus isolation S.F. Chang, G.H. Ngoh, L.F.S. Kueh, Q.W. Qin, C.L. Chen, T.J. Lam and Y.M. Sin (Singapore, Singapore)	133
Seasonal abundances of <i>Prosomicrocotyla gotoi</i> (Monogenea) and <i>Opecoelus sphaericus</i> (Digenea) from greenlings <i>Hexagrammos otakii</i> in a southern coastal area in Korea K.H. Kim, K.J. Ahn and C.S. Kim (Pusan, South Korea)	147

Genetics and Breeding

A genetic analysis of intraspecific competition for growth in mussel cultures I. Brichette (Santiago de Compostela, Spain), M.I. Reyero (Vigo, Spain) and C. García (Santiago de Compostela, Spain)	155
The formation of tetraploid stocks of red crucian carp \times common carp hybrids as an effect of interspecific hybridization S. Liu, Y. Liu, G. Zhou, X. Zhang, C. Luo, H. Feng, X. He (Changsha, People's Republic of China), G. Zhu and H. Yang (Xiangying, People's Republic of China)	171
Effect of water temperature on survival, growth and phenotypic sex of mixed (XX-XY) progenies of Nile tilapia <i>Oreochromis niloticus</i> E. Baras, B. Jacobs and C. Méléard (Tihange, Belgium)	187
Effect of inbreeding on body weight at harvest in rainbow trout, <i>Oncorhynchus mykiss</i> M.J.R. Pante (Quezon City, Philippines), B. Gjerde (Ås, Norway) and I. McMillan (Ont., Canada)	201
Inbreeding levels in selected populations of rainbow trout, <i>Oncorhynchus mykiss</i> M.J.R. Pante (Quezon City, Philippines), B. Gjerde (Ås, Norway) and I. McMillan (Guelph, Ont., Canada)	213

Husbandry and Management

A comparative study of sediments under a marine cage farm at Gran Canaria Island (Spain). Preliminary results L. Molina Domínguez, G. López Calero (Gran Canaria, Spain), J.M. Vergara Martín and L. Robaina Robaina (Las Palmas de Gran Canaria, Spain)	225
Food intake and growth of adult Atlantic cod (<i>Gadus morhua</i> L.) reared under different conditions of stocking density, feeding frequency and size-grading Y. Lambert and J.-D. Dutil (Québec, Canada)	233
Removal of aquaculture therapeutics by carbon adsorption 2: Multicomponent adsorption and the equilibrium behaviour of mixtures S.J. Aitchison, J. Arnett, K.R. Murray and J. Zhang (Edinburgh, UK)	249
Live-chilling and crowding stress before slaughter of Atlantic salmon (<i>Salmo salar</i>) P.O. Skjervold, S.O. Fjæra, P.B. Østby and O. Einen (Ås, Norway)	265
Morphological malformations of the lateral line in reared gilthead sea bream (<i>Sparus aurata</i> L. 1758) J. Carrillo (Murcia, Spain), G. Koumoundouros, P. Divanach (Iraklio, Greece) and J. Martínez (Murcia, Spain)	281
Photoperiod control and influence of body size on off-season parr-smolt transformation and post-smolt growth S.O. Handeland and S.O. Stefansson (Bergen, Norway)	291

Nutrition

ACTH and MSH production in Japanese flounder (<i>Paralichthys olivaceus</i>) larvae fed arachidonic acid-enriched live prey A. Estévez (Tarragona, Spain; Kyoto, Japan), T. Kaneko (Tokyo, Japan), T. Seikai (Fukui, Japan), M. Tagawa and M. Tanaka (Kyoto, Japan)	309
Ascorbic acid biosynthesis in Amazonian fishes D.M. Fracalossi (Florianópolis, Brazil), M.E. Allen (Washington, DC, USA), L.K. Yuyama (Manaus, Brazil) and O.T. Oftedal (Washington, DC, USA)	321
Use of fresh and preserved <i>Tetraselmis suecica</i> for feeding <i>Crassostrea gigas</i> larvae R. Robert (Plouzané, France), G. Parisi, L. Rodolfi, B.M. Poli and M.R. Tredici (Florence, Italy) . .	333
The effect of food supply on metamorphosis and post-larval development in hatchery-reared <i>Pecten maximus</i> L. Nicolas and R. Robert (Plouzané, France)	347
The effect of fish farming organic waste on food availability for bivalve molluscs (Gaeta Gulf, Central Tyrrhenian, MED): stable carbon isotopic analysis A. Mazzola and G. Sarà (Palermo, Italy)	361
Contents of Aquaculture, Volume 192	381



